

Draft eDispensing Dataset and Clinical Document Architecture Standard (for trial use)

Consultation Feedback Form

September 2016

Your views are very important to us. We would like to hear what you think about the draft eDispensing dataset and CDA Standard.

Your comments will be considered and will inform the development of the eDispensing dataset and CDA specification. When commenting on a specific aspect of the draft standard, it would help us if you tell us which element you are commenting on or the table number that you are commenting on.

The closing date for consultation is 5pm on Friday 14 October 2016

You can download a feedback form at www.hiqa.ie and email the completed form to technicalstandards@hiqa.ie. You can also complete and submit your feedback on www.hiqa.ie.

About you

Name	
Email Address	
Are you commenting on behalf of your organization or in a personal capacity?	<div>Organisation</div> <div>Personal</div>
Organization Name Please include name of organization if making this submission on behalf of your organization	

General feedback questions

You may provide us with feedback on the specific questions asked within the consultation document and repeat here (see questions that follow), or alternatively you can provide us with general comments.

Consultation Question 1

Question 1: Are there benefits in having a standardised eDispensing Dataset and Clinical Document Architecture specification and, if so, what are the main benefits?

Consultation Question 2

Question 2: Have the appropriate classes been included in the eDispensing data model?

Consultation Question 3

Question 3: Have all of the appropriate data items been included in the eDispensing dataset? Would you leave out any of the data items listed? Would you suggest additional data items?

Consultation Question 4

Question 4: Do the explanations provided in Table 1 of the consultation document adequately explain each of the data items? If not, please suggest improvements?

Consultation Question 5

Question 5: Are there any alterations needed for the clinical document architecture specification? If so, please suggest improvements?

General Comments

Please provide any general feedback you wish to give below.

Thank you for taking the time to give us your views.

Please return your form to us either by email or post:



You can download a feedback form at www.hiqa.ie and email the completed form to technicalstandards@hiqa.ie.

You can print off a feedback form and post the completed form to:



Health Information and Quality Authority
Draft eDispensing Dataset and Clinical Document Architecture
Standard
George's Court
George's Lane
Smithfield, Dublin 7, D07 E984.



If you have any questions on the draft dataset, you can contact the consultation team by calling (01) 8147685.

**Please return your comments to us either by email or post before
5pm on Friday 14 October 2016**

Please note that the Authority is subject to the Freedom of Information Acts and the statutory Code of Practice regarding FOI.

For that reason, it would be helpful if you could explain to us if you regard the information you have provided as confidential. If we receive a request for disclosure of the information we will take full account of your explanation, but we cannot give an assurance that confidentiality can be maintained in all circumstances.